




INSTALLATION GUIDE



mosaicovero.co.za [f](#) [t](#) [@](#) [p](#) [in](#)

Please note that Mosaico Vero suggests using Lush Adhesive as the preferred adhesive. Mosaico Vero will not take any responsibility for the results of using the adhesive or panels incorrectly. Mosaico Vero also reserves the right to modify or cancel any of the Lush wall products without prior notice.





.01 | Prep the application area:

1. Ensure the application surface is clean and dry. Clean with a suitable solvent. Ensure to remove any and all oil residues.
2. If the wall is not level, add joists/ beams to the wall to even it out. About 35-40 cm apart (horizontal joists for vertical panel application and vice versa)


.02 | Prep the panels:

1. Measure the application area (horizontal/ vertical depending on preference)





2. Cut the panels to the above mentioned/ measured size using a jigsaw or bladed knife.

3. Dust off any remnants on the panels and ensure the back of the panels are clean and dry.
4. Apply LUSH wall adhesive in an "s" pattern at the back of the panels from top to bottom.



5. Install starting in a corner.
6. (Optional if applied onto joists) Use a nail gun to fix the panel in place on the application area.
7. Apply adhesive on second panel as on the first. Place next to the first on application area and interlock with first panel. Use nail gun to fix second panel in place. (Optional if applied onto joists)
8. Continue with remaining panels and application area.



9. Cut off any excess panels at the edge of the application area, using a jigsaw or bladed knife, before fixing the last one.

.03 | Lush wall adhesive setting time:

Initial Setting Time: approximately 6 hours

Final Setting Time (Porous Surface): approximately 24 hours

Final Setting Time (Non-Porous Surface): approximately 48 hours

Correction Time: 25 to 35 minutes